Notice of Allowability	Application No.	Applicant(s)	
	09/756,438	KRICHEVER ET AL.	
	Examin r		
	Daniel A Hess	2876	
Zanini i			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet.			
9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL			
Attachm nt(s)			
Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) Information Disclosure Statements (PTO-1449), Paper No Examiner's Comment Regarding Requirement for Deposit of Biological Material	4☐ Interview Summa 6⊠ Examiner's Ame	al Patent Application (I ary (PTO-413), Paper ndment/Comment ment of Reasons for a	No
			1

Application/Control Number: 09/756,438 Page 2

Art Unit: 2876

EXAMINER'S AMENDMENT / NOTICE OF ALLOWANCE

Priority

1. Acknowledgement is made of applicant's response received 8/18/2003, which has been

placed in the file of record, and to which this action is a reply.

EXAMINER'S AMENDMENT

2. An examiner's amendment to the record appears below. Should the changes and/or

additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR

1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

payment of the issue fee.

3. Authorization for this examiner's amendment was given in a telephone interview with

Alan Israel on 10/9/2003.

The application has been amended as follows:

IN THE CLAIMS:

Re claim 15, 18 and 20-24: Please cancel these claims.

REASONS FOR ALLOWANCE

Application/Control Number: 09/756,438

Art Unit: 2876

- 4. Claim 26, 29 and 31-33 are allowed. The following is an examiner's statement of reasons for allowance: The examiner has argued on the record that it would have been obvious at the time of the invention to produce a two-window / two-direction barcode reader that uses two-dimensional image capture.
- 5. Since (a) the technology and benefits of a two window / two direction barcode reader is old and well-known and since (b) the technology and benefits of two dimensional / CCD capture for code reading is well known, it is obvious to combine (a) and (b). One would be motivated to combined (a) and (b) to achieve the benefits of (a), including greater odds of image capture, in addition to the benefits of (b), such as handling complex indicia. Ohkawa et al. (US 5,936,218) teaches (a) and Bunte et al. (US 6,330,975) teaches (b).
- 6. As the applicant has pointed out, the limitation of interweaving the results of two 2D image scans in different image lines of the same image as per the last part of claim 26 is not shown in the prior art cited. The rejection pertaining to that limitation is therefore withdrawn. Elsewhere, the prior art of record fails to teach or suggest this limitation.
- 7. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 09/756,438

Art Unit: 2876

Conclusion

- 8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Daniel A Hess whose telephone number is (703) 305-3841. The examiner can normally be reached on 8:00 AM 5:00 PM M-F.
- 9. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael G Lee can be reached on (703) 305-3503. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.
- Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Daniel A Hess Examiner Art Unit 2876

DH

KARL D. FRECH

PHI